

RECEIVED
CENTRAL FAX CENTER

JUN 01 2006

PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Michael Freed; Elango Confirmation No. 4137
 Ganesan; Arun Moorthy
Serial No.: 09/900,493
Filed: July 6, 2001 Customer No.: 28863
Examiner: Christian A. Laforgia
Group Art Unit: 2131
Docket No.: 1014-063US01/JNP-0260
Title: BUFFERLESS SECURE SOCKETS LAYER ARCHITECTURE

CERTIFICATE UNDER 37 CFR 1.8: I hereby certify that this correspondence is being deposited with the United States Post Service, as First Class Mail, in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450 on May 23, 2006.

By: Angela Watson

Name: Angela Watson

MAIL STOP AMENDMENT
Commissioner for Patents
Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached correspondence relating to this application:

- ☒ Transmittal sheet containing Certificate of Mailing
- ☒ Response (10 pgs.)
- ☒ Replacement Drawing Sheet - Figures 1, 2A and 2B
- ☒ Return postcard

Please apply any charges not covered, or any credits, to Deposit Account No. 50-1778.

Date:

May 23, 2006

By:

Kent J. Sieffert

Name: Kent J. Sieffert

Reg. No.: 41,312

SHUMAKER & SIEFFERT, P.A.
8425 Seasons Parkway, Suite 105
St. Paul, Minnesota 55125
Telephone: 651.735.1100
Facsimile: 651.735.1102

RECEIVED
CENTRAL FAX CENTER

JUN 01 2006

PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:	Michael Freed; Elango Ganesan; Arun Moorthy	Confirmation No.	4137
Serial No.:	09/900,493		
Filed:	July 6, 2001	Customer No.:	28863
Examiner:	Christian A. Laforgia		
Group Art Unit:	2131		
Docket No.:	1014-063US01/JNP-0260		
Title:	BUFFERLESS SECURE SOCKETS LAYER ARCHITECTURE		

RESPONSE

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action mailed March 23, 2006, the period of response for which runs through June 23, 2006, please amend the application as follows.

Amendments to the Drawings begin on page 2 of this paper.

Remarks/Arguments begin on page 3 of this paper.

Replacement sheets for FIGS. 1, 2A and 2B are attached following the last page of this paper.